

From: [Coltrain, Katrina](#)
To: [Perez, Myra](#)
Cc: [Flores, Raymond](#); [Warren, Christy](#); [Kady, Thomas](#)
Subject: RE: Wilcox Lab Request form - please reply
Date: Monday, November 02, 2015 11:30:00 AM
Attachments: [image001.png](#)
[WILCOX Dec 2015 Sample Request Form 11-2-15.doc](#)
[WILCOX Dec 2015 wk 2 Sample Request Form 11-2-15.doc](#)
[WILCOX Dec 2015 wk 3 Sample Request Form 11-2-15.doc](#)

Myra, please see the revised lab forms.

Katrina Higgins-Coltrain
Remedial Project Manager
US EPA Region 6
LA/OK/NM Section (6SF-RL)
1445 Ross Avenue
Dallas, Texas 75202
214-665-8143

From: Perez, Myra
Sent: Friday, October 30, 2015 11:29 AM
To: Coltrain, Katrina
Cc: Flores, Raymond; Warren, Christy; Kady, Thomas
Subject: RE: Wilcox Lab Request form - please reply



Hello Katrina – Please update the attached form with the new dates for sampling. I need one form per week of sampling. The sampler should estimate the number of samples by matrix by analysis per week that they will ship. If anything else has changed please highlight so I can update the scheduling form I sent to SMO earlier.

If you have questions, please contact me at your earliest convenience.

Thank you.

Myra Perez
R6 CLP RSCC
281-983-2130

From: Warren, Christy
Sent: Wednesday, October 14, 2015 2:30 PM

To: Perez, Myra

Subject: FW: October FY16 Projections due September 14, 2015

From: Coltrain, Katrina

Sent: Friday, September 18, 2015 9:10 AM

To: Warren, Christy

Cc: Kady, Thomas

Subject: RE: October FY16 Projections due September 14, 2015

Christy, I believe I have what you/we need in the attached files.

Call with any questions.

thanks

Katrina Higgins-Coltrain
Remedial Project Manager
US EPA Region 6
LA/OK/NM Section
1445 Ross Avenue
Dallas, Texas 75202
214-665-8143

From: Warren, Christy

Sent: Wednesday, September 16, 2015 9:00 AM

To: Coltrain, Katrina

Cc: Kady, Thomas; Perez, Myra

Subject: RE: October FY16 Projections due September 14, 2015

Katrina,

Can you get the Request for Lab Analysis completed and submitted as soon as possible. Be sure to include the list of contaminants of concern with detection level requirements.

When will the QAPP be submitted? We need that information in order to determine if the R6 Lab and/or CLP can meet your needs for this site.

Thank you,

Christy Warren
US EPA Region 6 Lab
Sample Control Center
10625 Fallstone Road
Houston, Texas 77099
Office: 281-983-2137

Cell: 713-805-7157



This e-mail may be privileged and/or confidential. It is intended for the named recipient(s) only. Any distribution, use or copying of this e-mail or the information it contains by other than an intended recipient is unauthorized. If you received this e-mail in error, please advise me (by return e-mail or otherwise) immediately and do not duplicate it or disclose its contents to anyone.

From: Coltrain, Katrina
Sent: Thursday, September 03, 2015 3:33 PM
To: Perez, Myra
Cc: Warren, Christy; Kady, Thomas
Subject: RE: October FY16 Projections due September 14, 2015

Here is the projection for Wilcox. I will be out of the office all next. Please contact Tom Kady (732-906-6172 or cell 732-735-5822) if you have questions.

Thanks

Tom you can use this when drafting the QAPP. The lab will need the QAPP when completed—as soon as possible.

Katrina Higgins-Coltrain
Remedial Project Manager
US EPA Region 6
LA/OK/NM Section
1445 Ross Avenue
Dallas, Texas 75202
214-665-8143

From: Perez, Myra
Sent: Tuesday, August 25, 2015 3:44 PM
To: Canellas, Bart; Cook, Brenda; Kendrick, Bret; Mueller, Brian; Hueni, Camille; Sanchez, Carlos; Gilmore, Cathy; Fisher, Charles; Villarreal, Chris; Baumgarten, Gary; Moore, Gary; Miller, Gary; Turner, LaDonna; Stankosky, Laura; Purcell, Mark; Hebert, Michael; Torres, Michael; Sanchez, Petra; Allen, Philip; Ofosu, Philip; Casanova, Rafael; Josiam, Raji; Sullivan, Robert; Moya, Ruben; Appaji, Sairam; Lennox, Ursula; Leos, Valmichael; Malott, Vincent; Abshire, David; Tzhone, Stephen; Coltrain, Katrina; Hayes, Mark
Cc: Chambers, Carlene; Helmick, Walt; Humphrey, Marvelyn; Warren, Christy; Flores, Raymond; Christian, Doretha; Banipal, Ben; Meyer, John; Webster, Susan; Gorostiza, Sylvia

Subject: October FY16 Projections due September 14, 2015



R6 ANALYTICAL SERVICES PROJECTION FORM

Hello All.

Please complete the attached form for any sampling event occurring in October 2015. One form per site, per week of sampling.

Please e-mail the completed projection form(s), no later than September 14, 2015, to Christy, copy me.

The standard turnaround time is 21 days for the CLP.

Please distribute this form to your State counterparts and any other Houston Lab/CLP clients.

If you have questions or concerns, please do not hesitate to call us.

Thank you.

Myra Perez
R6 CLP RSCC
USEPA - ESB
ph.: 281/983-2130
perez.myra@epa.gov

Christy Warren
U.S. EPA Region 6 Laboratory
Sample Control Center
10625 Fallstone Road
Houston, Texas 77099
warren.christy@epa.gov
Office: 281-983-2137
Mobile: 281-415-6815